

FRONT LINE COVID-19 CRITICAL CARE ALLIANCE PROPHYLAXIS & TREATMENT PROTOCOLS FOR COVID-19

FLCCC Year in Review

12-29-21



FRONT LINE COVID-19 CRITICAL CARE ALLIANCE PROPHYLAXIS & TREATMENT PROTOCOLS FOR COVID-19

Overview:

- Global Health Ministries
- Ivermectin Prescriptions Decrease Cases & Deaths
- Use of ivermectin by Skilled Nursing Facilities

FRONT LINE COVID-19 CRITICAL CARE ALLIANCE PROPHYLAXIS & TREATMENT PROTOCOLS FOR COVID-19

Global Health Ministry Programs:



Mexico City – The IMSSS Health Agency compared over 50,000 patients treated early with ivermectin to over 70,000 not treated and found <u>up to a 75% reduction in need for hospitalization</u>.

La Misiones, **Argentina** – Health Ministry just analyzed the first 800 of 4,000 ivermectin treated patients and compared to the rest of the population over the same time period, they found a <u>75% reduction in need for</u> <u>hospital</u> and an <u>88% reduction in death</u>.

Uttar Pradesh, India – Used a strategy of <u>close surveillance combined with both ivermectin</u> treatment of all positive cases and preventive treatment of all family contacts. On September 10, 2021, <u>only 11 cases with no</u> <u>deaths were recorded in a population</u> of 241 million. As of August 31, of the previous 187,638 tests performed, only 21 were positive, an essentially zero positive rate or .01%.

FRONT LINE COVID-19 CRITICAL CARE ALLIANCE PROPHYLAXIS & TREATMENT PROTOCOLS FOR COVID-19

Global Health Ministry Programs:



The **Brazilian** city of Itajai offered ivermectin as prevention to the entire city's population with 133,051 (60%) agreeing to take ivermectin every two weeks for 6 months. The city health service collected data on the entire population prospectively and found that Ivermectin <u>users had a 70% lower mortality rate, and a 67% lower</u> <u>hospitalization rate while the citywide COVID mortality fell from</u> 6.8% to 1.8% during the program.

La Pampas, **Argentina** – Health Ministry compared over 2,000 patients they treated early with ivermectin to over 12,000 without treatment and found that in patients over 40, rates of <u>ICU admission and death both fell by 40%</u>.

FRONT LINE COVID-19 CRITICAL CARE ALLIANCE PROPHYLAXIS & TREATMENT PROTOCOLS FOR COVID-19

Global Health Ministry Programs:



Peru – A nationwide mass-distribution program called "<u>Mega-Operación Tayta</u>" (MOT), initiated at various times across 25 states of Peru in May 2020, led to a <u>74% drop</u> in regional excess deaths within a month, with *each drop* beginning 11 days after each MOT region's varied start times


The Health Minsitry of Sultan Kudarat in the **Philipines** launched an ivermectin drive and <u>found that cases</u> rapidly dropped by 86%.

In Japan, the President of the Tokyo Medical Association recommended that all physicians start to use ivermectin as early treatment during their summer surge. They are now <u>recording the lowest rate of COVID</u> <u>hospitalization</u> in the pandemic.



FRONT LINE COVID-19 CRITICAL CARE ALLIANCE PROPHYLAXIS & TREATMENT PROTOCOLS FOR COVID-19


FLCCC drove ivermectin prescriptions up.



FLCCC

FRONT LINE COVID-19 CRITICAL CARE ALLIANCE PROPHYLAXIS & TREATMENT PROTOCOLS FOR COVID-19

Ivermectin prescription correlates with ivermectin searches.




Outpatient retail prescriptions of ivermectin in the US & Google Searches

Source: IQVIA (Data available from January 10, 2020 to August 13, 2021), and Google Trends

FLCCC

FRONT LINE COVID-19 CRITICAL CARE ALLIANCE PROPHYLAXIS & TREATMENT PROTOCOLS FOR COVID-19

Prescription increase paves the way to decrease in cases and deaths




Sources: CSSE at Johns Hopkins University

FLCCC

FRONT LINE COVID-19 CRITICAL CARE ALLIANCE PROPHYLAXIS & TREATMENT PROTOCOLS FOR COVID-19

Prescription increase pave the way to decrease in cases and deaths




Sources: CSSE at Johns Hopkins University

FRONT LINE COVID-19 CRITICAL CARE ALLIANCE PROPHYLAXIS & TREATMENT PROTOCOLS FOR COVID-19

Use of Ivermectin Embraced by Substantial Skilled Nursing Facilities

COVID-19 fatalities in Nursing Homes as a percentage of total COVID deaths in the US.



Sources: data.cms.gov/covid-19/covid-19-nursing-home-data - CSSE at Johns Hopkins University


The Buffalo News: 1/29/21

Trial Site News: 2/3/2021

The True Defender: 11/15/2021

FRONT LINE COVID-19 CRITICAL CARE ALLIANCE PROPHYLAXIS & TREATMENT PROTOCOLS FOR COVID-19

Use of Ivermectin Embraced by Substantial Skilled Nursing Facilities



FRONT LINE COVID-19 CRITICAL CARE ALLIANCE PROPHYLAXIS & TREATMENT PROTOCOLS FOR COVID-19

What if the use of ivermectin would be embraced in the U.S.?

